




**Web** [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



+cascade +correlation +network +database +input

**Search**

[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 10 of about **6,630** for **+cascade +correlation +network +database +input**. (0.15 seconds)

[Show options...](#)

1. [Predicting protein secondary structure by \*\*cascade-correlation\*\* ...](#)

**network** for predicting secondary structure from position-specific scoring information. ... **database** search programs." Nuc. Acids Res. 25: 3389-3402. ... Figure 1: The **cascade-correlation** learning algorithm with two **input** units and one ...

[bioinformatics.oxfordjournals.org/cgi/reprint/btg423v1.pdf](#) - [Similar](#)

by MJ Wood - [Cited by 8](#) - [Related articles](#) - [All 7 versions](#)

2. [Application of the \*\*Cascade-Correlation network\*\* to the ...](#)

creation of the image **database**. Next, in section 3 .... The **Cascade-Correlation Network**. This overview is based to a large degree on. Fahlman's paper [2]. The CC is a supervised self- ... trainable weights from the **network's input** layer ...

[www.springerlink.com/index/PTR86703368134JH.pdf](#) - [Similar](#)

by N Masic - 1996 - [Cited by 1](#) - [Related articles](#)

3. [The prediction of protein secondary structure with a \*\*Cascade\*\* ...](#)

sequences are used as **input** code to the **network** system, different NN architectures can perform simi- larly. Keywords: **Cascade correlation** learning algorithm ...

[www.springerlink.com/index/J131250066651527.pdf](#) - [Similar](#)

by F Vivarelli - 1997 - [Cited by 13](#) - [Related articles](#)

[Show more results from www.springerlink.com](#)

4. [Prediction of Substructure and Toxicity of Pesticides with ...](#)

The **cascade correlation** neural **network** (CCN) was developed to alleviate these problems.17 The ... It starts with a minimal **network** (i.e., **input** neurons and output neurons). .... There were 197 mass spectra obtained from the **database**. ...

[pubs.acs.org/cgi-bin/jtext?ancham/71/i19/abs/ac990159y](#) - [Similar](#)

by C Cai - 1999 - [Cited by 9](#) - [Related articles](#) - [All 4 versions](#)

5. [SBRN'97: A comparative study of the \*\*cascade-correlation\*\* ...](#)

tages observed in the **cascade-correlation network** such .... The **database** consists of 690 examples of costumers with 51 **input** attributes ...

doi.ieeecomputersociety.org/10.1109/SBRN.1997.645846 - [Similar](#)

by JNG Ribeiro - [Cited by 2](#) - [Related articles](#) - [All 10 versions](#)

6. [Neural \*\*network\*\* diagnostic classification of complex binary systems ...](#)

a neural **network** capability receiving said binary matrix as an **input** vector, ... and **database** storage containing neural **network** training patterns and ... "**Cascade-correlation** neural networks for the classification of cervical cells"; ...

www.patentsstorm.us/patents/6138109/claims.html - [Similar](#)

7. [CiteULike: The \*\*Cascade-Correlation\*\* Learning Architecture](#)

**Cascade-Correlation** is a new architecture and supervised learning algorithm ... Once a new hidden unit has been added to the **network**, its **input**-side weights ...

www.citeulike.org/user/pilho/article/907533 - [Cached](#) - [Similar](#)

8. [\[PDF\] Connectivity and Performance Tradeoffs in the \*\*Cascade Correlation\*\* ...](#)

File Format: PDF/Adobe Acrobat - [View](#)

The **Cascade Correlation** [1] is a very flexible, efficient and fast .... only from the **input** units and are not connected to other hidden units. ... of unit j and the target values of the ith **network** output. .... [5] S. E.

Fahlman et. al., Neural Nets Learning Algorithms and Benchmarks **Database**. maintained by S. E. ...

www.cs.umbc.edu/~phatak/publications/layered-cascor.pdf - [Similar](#)

by DS Phatak - [Cited by 56](#) - [Related articles](#) - [All 8 versions](#)

9. [\[ps\] Reducing \*\*Network\*\* Depth in the \*\*Cascade- Correlation\*\* Learning ...](#)

File Format: Adobe PostScript - [View as HTML](#)

The **Cascade-Correlation network** is initialized with no hidden units. ... **input** connectivity to compete for a place in the active **network**. .... of the Vowels **database**, classification of the Sonar **database**, a checkerboard problem, ...

reports-archive.adm.cs.cmu.edu/anon/1994/CMU-CS-94-209.ps - [Similar](#)

by S Baluja - [Cited by 29](#) - [Related articles](#) - [All 10 versions](#)

10. [\[PDF\] \*\*Cascade-correlation\*\* neural networks for the classification of ...](#)

File Format: PDF/Adobe Acrobat - [View](#)

**Cascade-correlation** networks have been investigated as an alternative to the ... set were each selected at random from a **database** of 256x256 pixel grey- ... These 80 features were used as inputs to the neural **network**. **Cascade-correlation** neural networks with 81 inputs (including a bias **input**) and a single output ...

www.computing.dundee.ac.uk/staff/stephen/cascadecorrelation.pdf - [Similar](#)

Searches related to: **+cascade +correlation +network +database +input**

[cascade correlation neural network](#)

[cascade correlation algorithm](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

+cascade +correlation +network +database +input

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)